

ADB/AMERICAN DRILL BUSHING  
1-800-423-4425



**PRICE LIST**

Prices and Specifications Subject to Change Without Notice

Effective January 1, 2008

HEAVY DUTY® HOIST RINGS



Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
33101	HRHD 8K LB 7/8-9 * 1.20 TP	137.34	132.44	127.88	123.61	Call
33102	HRHD 7K LB 3/4-10 * 1.20 TP	137.34	132.44	127.88	123.61	↑
33103	HRHD 7K LB 3/4-10 * 1.45 TP	137.34	132.44	127.88	123.61	
33104	HRHD 8K LB 7/8-9 * .95 TP	137.34	132.44	127.88	123.61	
33105	HRHD 10K LB 1-8 * 1.45 TP	142.50	137.41	132.68	128.25	
33106	HRHD 10K LB 1-8 * 1.20 TP	142.50	137.41	132.68	128.25	
33107	HRHD 10K LB 1-8 * 2.20 TP	142.50	137.41	132.68	128.25	
33108	HRHD 7K LB 3/4-10 * .95 TP	137.34	132.44	127.88	123.61	
33112	HRHD 0.55K LB 1/4-20 X .56 TP	50.12	48.33	46.67	45.11	
33161	HRHD 8K LB 7/8-9 * 1.20 TP (Long Bar)	154.50	148.98	143.85	139.05	
33162	HRHD 7K LB 3/4-10 * 1.20 TP (Long Bar)	154.50	148.98	143.85	139.05	
33163	HRHD 7K LB 3/4-10 * 1.45 TP (Long Bar)	154.50	148.98	143.85	139.05	
33164	HRHD 8K LB 7/8-9 * .95 TP (Long Bar)	154.50	148.98	143.85	139.05	
33165	HRHD 10K LB 1-8 * 1.45 TP (Long Bar)	160.31	154.59	149.26	144.28	
33166	HRHD 10K LB 1-8 * 1.20 TP (Long Bar)	160.31	154.59	149.26	144.28	
33167	HRHD 10K LB 1-8 * 2.20 TP (Long Bar)	160.31	154.59	149.26	144.28	
33168	HRHD 7K LB 3/4-10 * .95 TP (Long Bar)	154.50	148.98	143.85	139.05	
33212	HRHD .8K LB 5/16-18 * .56 TP	50.12	48.33	46.67	45.11	
33214	HRHD .8K LB 5/16-18 * 1.06 TP	50.12	48.33	46.67	45.11	
33312	HRHD 1K LB 3/8-16 * .56 TP	50.12	48.33	46.67	45.11	
33314	HRHD 1K LB 3/8-16 * 1.06 TP	50.12	48.33	46.67	45.11	
33316	HRHD 2.25K LB 1/2-13 * 1.06 TP	50.12	48.33	46.67	45.11	
33401	HRHD 15K LB 1 1/4-7*2.63 TP	212.09	204.52	197.48	190.88	
33402	HRHD 15K LB 1 1/4-7 * 1.88 TP	212.09	204.52	197.48	190.88	
33420	HRHD 20K LB 1 3/8-6 * 2.63 TP	226.96	218.86	211.32	204.26	
33424	HRHD 24K LB 1 1/2-6 * 2.63 TP	244.31	235.59	227.48	219.88	
33427	HRHD 30K LB 2-4 1/2 * 2.96 TP	411.49	396.80	383.14	370.34	
33432	HRHD 30K LB 2-8 * 2.96 TP	411.49	396.80	383.14	370.34	
33505	HRHD 2.5K LB 1/2-13 * 1 TP (Long Bar)	68.31	65.87	63.60	61.48	
33512	HRHD 2.5K LB 1/2-13 * .75 TP	60.72	58.55	56.54	54.65	
33513	HRHD 2.5K LB 1/2-13 * .75 TP (Long Bar)	68.31	65.87	63.60	61.48	
33515	HRHD 2.5K LB 1/2-13 * 1 TP	60.72	58.55	56.54	54.65	
33516	HRHD 2.5K LB 1/2-13 * 1.25 TP	60.72	58.55	56.54	54.65	
33517	HRHD 2.5K LB 1/2-13 * 1.25 TP (Long Bar)	68.31	65.87	63.60	61.48	
33604	HRHD 4K LB 5/8-11 * 1 TP (Long Bar)	68.31	65.87	63.60	61.48	
33612	HRHD 4K LB 5/8-11 * .75 TP	60.72	58.55	56.54	54.65	

ADB/AMERICAN DRILL BUSHING

1-800-423-4425

**HEAVY DUTY® HOIST RINGS - CONTINUED**

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
33613	HRHD 4K LB 5/8-11 * .75 TP (Long Bar)	68.31	65.87	63.60	61.48	Call
33614	HRHD 4K LB 5/8-11 * 1 TP	60.72	58.55	56.54	54.65	↓
33615	HRHD 4K LB 5/8-11 * 1.25 TP	60.72	58.55	56.54	54.65	
33616	HRHD 4K LB 5/8-11 * 1.25 TP (Long Bar)	68.31	65.87	63.60	61.48	
33714	HRHD 5K LB 3/4-10 * 1 TP	63.11	60.86	58.76	56.80	
33715	HRHD 5K LB 3/4-10 * 1 TP (Long Bar)	70.99	68.46	66.10	63.89	
33716	HRHD 5K LB 3/4-10 * 1.5 TP	63.11	60.86	58.76	56.80	
33717	HRHD 5K LB 3/4-10 * 1.5 TP (Long Bar)	70.99	68.45	66.10	63.89	

HEAVY DUTY® HOIST RING REPLACEMENT SCREWS

Part No.	1 - UP	Part No.	1 - UP
33119S	16.86	33419S	75.37
33121S	21.46	33421S	75.37
33122S	16.86	33422S	109.78
33123S	16.86	33429S	109.78
33125S	24.90	33554S	9.76
33126S	24.90	33555S	9.76
33127S	25.24	33556S	9.76
33152S	8.14	33653S	10.90
33252S	8.38	33654S	11.01
33254S	8.38	33655S	11.01
33352S	8.38	33754S	13.77
33354S	8.38	33756S	16.86

HEAVY DUTY® HOIST RINGS - METRIC



Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
34161	3000KG M20-2.5 * 28MM TP(Long Bar)	154.50	148.98	143.85	139.05	Call
34162	4200KG M24-3.0 * 28MM TP(Long Bar)	154.50	148.98	143.85	139.05	↓
34163	4200KG M24-3.0 * 38MM TP (Long Bar)	154.50	148.98	143.85	139.05	
34165	4500KG M30-3.5 * 38MM TP (Long Bar)	160.31	154.59	149.26	144.28	
34167	4500KG M30-3.5 * 48MM TP (Long Bar)	160.31	154.59	149.26	144.28	
34101	3000KG M20-2.5 * 28MM TP	137.34	132.44	127.88	123.61	
34102	4200KG M24-3.0 * 28MM TP	137.34	132.44	127.88	123.61	
34103	4200KG M24-3.0 * 38MM TP	137.34	132.44	127.88	123.61	
34105	4500KG M30-3.5 * 38MM TP	142.50	137.41	132.68	128.25	
34107	4500KG M30-3.5 X 48MM TP	142.50	137.41	132.68	128.25	
34212	400KG M8-1.25 * 16mm TP	50.12	48.33	46.67	45.11	
34214	400KG M8-1.25 * 21mm TP	50.12	48.33	46.67	45.11	
34312	450KG M10-1.5 * 16mm TP	50.12	48.33	46.67	45.11	
34314	450KG M10-1.5 * 26mm TP	50.12	48.33	46.67	45.11	
34401	7000KG M30-3.5 * 67mm TP	212.09	204.52	197.48	190.88	

ADB/AMERICAN DRILL BUSHING

1-800-423-4425

**HEAVY DUTY® HOIST RINGS - METRIC - CONTINUED**

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
34402	11000KG M36x4.0 * 67mm TP	244.31	235.59	227.48	219.88	Call
34403	12500 KG M42 X 4.5 * 80MM TP	411.49	396.80	383.14	370.34	↓
34404	13500 KG M48 X 5.0 X 80MM TP	411.49	396.80	383.14	370.34	
34505	1050KG M12-1.75 * 25MM TP(Long Bar)	68.31	65.87	63.60	61.48	
34515	1050KG M12-1.75 * 25MM TP	60.72	58.55	56.54	54.65	
34516	1050KG M12-1.75 * 32MM TP	60.72	58.55	56.54	54.65	
34517	1050KG M12-1.75 * 32MM TP (Long Bar)	68.31	65.87	63.60	61.48	
34604	1900KG M16-2.0 X 25MM TP (Long Bar)	68.31	65.87	63.60	61.48	
34614	1900KG M16-2.0 X 25MMTP	60.72	58.55	56.54	54.65	
34615	1900KG M16-2.0 * 32MM TP	60.72	58.55	56.54	54.65	
34616	1900KG M16-2.0 * 32MM TP(Long Bar)	68.31	65.87	63.60	61.48	
34714	2200KG M20-2.5 * 25MM TP	63.11	60.86	58.76	56.80	
34715	2200KG M20-2.5 * 25MM TP(Long Bar)	70.99	68.46	66.10	63.89	
34716	2200KG M20-2.5 * 38MM TP	63.11	60.86	58.76	56.80	
34717	2200KG M20-2.5 * 38MM TP(Long Bar)	70.99	68.46	66.10	63.89	

HEAVY DUTY® HOIST RING REPLACEMENT SCREWS - METRIC

Part No.	1 - UP	Part No.	1 - UP
34252S	9.64	34131S	21.34
34254S	9.64	34120S	22.86
34352S	9.64	34121S	24.24
34354S	9.64	34123S	24.24
34555S	11.45	34126S	52.94
34556S	11.45	34127S	52.94
34654S	12.39	34421S	86.31
34655S	12.39	34422S	109.78
34130S	21.34		

HEAVY DUTY® SIDE-PULL HOIST RINGS



Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
36305	HDSP .8K LB 5/16-18 X .479 TP	72.90	69.98	67.07	64.15	Call
36310	HDSP 1K LB 3/8-16 X .479 TP	72.90	69.98	67.07	64.15	↓
36315	HDSP 2.5K LB 1/2-13 X .979 TP	92.07	88.39	84.70	81.02	
36320	HDSP 4K LB 5/8-11 X .979 TP	92.07	88.39	84.70	81.02	
36325	HDSP 5K LB 3/4-10 X 1.229 TP	135.75	130.32	124.89	119.46	
36330	HDSP 7K LB 3/4-10 X 1 1/4 TP	198.31	190.38	182.45	174.51	
36335	HDSP 8K LB 7/8-9 X 1 1/4 TP	198.31	190.38	182.45	174.51	
36340	HDSP 10K LB 1-8 X 1 1/2 TP	198.31	190.38	182.45	174.51	

ADB/AMERICAN DRILL BUSHING

1-800-423-4425

HEAVY DUTY® SIDE-PULL HOIST RINGS - METRIC



Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
36805	400KG M8X1.25 X 14MM TP	78.00	74.88	71.76	68.64	Call
36810	450KG M10X1.5 X 24MM TP	78.00	74.88	71.76	68.64	↓
36815	1050KG M12X1.75 X 37MM TP	98.52	94.58	90.64	86.70	
36820	1900KG M16X2.0 X 37MM TP	98.52	94.58	90.64	86.70	
36825	2200KG M20X2.5 X 37MM TP	145.25	139.44	133.63	127.82	
36830	3000KG M20X2.5 X 39MM TP	212.19	203.70	195.21	186.73	
36835	4200KG M24X3.0 X 43MM TP	212.19	203.70	195.21	186.73	

SAFETY ENGINEERED HOIST RINGS



Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
23001	HRSE 4K LB 5/8-11 * 0.78 TP	91.57	82.41	79.67	77.83	Call
23002	HRSE 4K LB 5/8-11 * 1.03 TP	91.57	82.41	79.67	77.83	↓
23003	HRSE 4K LB 5/8-11 * 1.28 TP	91.57	82.41	79.67	77.83	
23004	HRSE 2.5K LB 1/2-13 * 0.78 TP	90.05	81.05	78.34	76.54	
23005	HRSE 2.5K LB 1/2-13 * 1.03 TP	90.05	81.05	78.34	76.54	
23006	HRSE 2.5K LB 1/2-13 * 1.28 TP	90.05	81.05	78.34	76.54	
23007	HRSE 5K LB 3/4-10 * 1.03 TP	91.57	82.41	79.67	77.83	
23008	HRSE 5K LB 3/4-10 * 1.28 TP	91.57	82.41	79.67	77.83	
23009	HRSE 5K LB 3/4-10 * 1.53 TP	91.57	82.41	79.67	77.83	
23050	HRSE 550 LB 1/4-20 * .54 TP	75.14	67.63	65.37	63.87	
23051	HRSE 800 LB 5/16-18 * .29 TP	75.14	67.63	65.37	63.87	
23052	HRSE 800 LB 5/16-18 * .54 TP	75.14	67.63	65.37	63.87	
23053	HRSE 1K LB 3/8-16 * .54 TP	75.14	67.63	65.37	63.87	
23101	HRSE 8K LB 7/8-9 * 1.04 TP	196.73	177.06	171.16	167.22	
23102	HRSE 7K LB 3/4-10 * 1.04 TP	196.73	177.06	171.16	167.22	
23103	HRSE 7K LB 3/4-10 * 1.54 TP	196.73	177.06	171.16	167.22	
23105	HRSE 10K LB 1-8 * 1.29 TP	197.36	177.62	171.70	167.76	
23106	HRSE 10K LB 1-8 * 1.54 TP	197.36	177.62	171.70	167.76	
23107	HRSE 10K LB 1-8 * 2.29 TP	197.36	177.62	171.70	167.76	
23200	HRSE 30K LB 2-4 1/2 * 2.96 TP	480.95	432.86	418.43	408.81	
23201	HRSE 30K LB 2-4 1/2*2.96TP(SHCS)	480.95	432.86	418.43	408.81	
23202	HRSE 24K LB 1 1/2-6 * 2.70 TP	408.31	367.48	355.23	347.06	
23301	HRSE 2.5K LB 1/2-13 * 1.07 TP	90.51	81.46	78.74	76.93	
23320	HRSE 4K LB 5/8-11 * 1.03 TP (Long Bar)	99.67	89.70	86.71	84.72	
23321	HRSE 4K LB 5/8-11 * 1.28 TP (Long Bar)	99.67	89.70	86.71	84.72	
23322	HRSE 2.5K LB 1/2-13 * 0.78 TP (Long Bar)	99.67	89.70	86.71	84.72	
23323	HRSE 2.5K LB 1/2-13 * 1.03 TP (Long Bar)	99.67	89.70	86.71	84.72	
23324	HRSE 2.5K LB 1/2-13 * 1.28 TP (Long Bar)	99.67	89.70	86.71	84.72	
23325	HRSE 5K LB 3/4-10 * 1.03 TP (Long Bar)	99.67	89.70	86.71	84.72	
23327	HRSE 5K LB 3/4-10 * 1.53 TP (Long Bar)	99.67	89.70	86.71	84.72	
23328	HRSE 8K LB 7/8-9 * 1.04 TP (Long Bar)	208.82	187.94	181.67	177.50	

ADB/AMERICAN DRILL BUSHING

1-800-423-4425

**SAFETY ENGINEERED HOIST RINGS - CONTINUED**

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
23329	HRSE 7K LB 3/4-10 * 1.04 TP (Long Bar)	208.82	187.94	181.67	177.50	Call
23330	HRSE 7K LB 3/4-10 * 1.54 TP (Long Bar)	208.82	187.94	181.67	177.50	
23331	HRSE 10K LB 1-8 * 1.29 TP (Long Bar)	208.82	187.94	181.67	177.50	
23332	HRSE 10K LB 1-8 * 1.54 TP (Long Bar)	208.82	187.94	181.67	177.50	
23333	HRSE 10K LB 1-8 * 2.29 TP (Long Bar)	208.82	187.94	181.67	177.50	
23401	HRSE 15K LB 1 1/4-7 * 1.89 TP	312.44	281.20	271.82	265.57	
23501*	HRSE 50K LB 2 1/2-8 * 4.00 TP	1273.30	1273.30	1273.30	1273.30	
23503*	HRSE 50K LB 2 1/2-4 * 4.00 TP	1273.30	1273.30	1273.30	1273.30	
23600*	HRSE 75K LB 3-4 * 5.20 TP	2126.92	2126.92	2126.92	2126.92	
23701	HRSE 100K LB 3 1/2-4 * 7.00 TP		FACTORY QUOTATION			
23751	HRSE 150K LB 4 1/4-4 * 8 1/2 TP		FACTORY QUOTATION			
23760	HRSE 200K LB 5-4*P TP		FACTORY QUOTATION			
23770	HRSE 250K LB 6-4*9 TP		FACTORY QUOTATION			

\* EXCEPTION TO STANDARD DISCOUNTS

**EZ-TORQUE™ HOIST RINGS**



Part No.	Hoist Ring Description	List Price
23290	HRSE EZ-TORQUE 30K LB 2-4 1/2 * 2.96 TP	667.63
23490	HRSE EZ-TORQUE 15K LB 1 1/4-7 * 1.89 TP	470.32
23494	HRSE EZ-TORQUE 24K LB 1 1/2-6 * 2.70 TP	594.20
23590*	HRSE EZ-TORQUE 50K LB 2 1/2-8 * 4.00 TP	1609.41
23592*	HRSE EZ-TORQUE 50K LB 2 1/2-4 * 4.00 TP	1609.41
23690*	HRSE EZ-TORQUE 75K LB 3-4 * 5.20 TP	2709.50
23790	HRSE EZ-TORQUE 100K LB 3 1/2-4 * 7 TP	FACTORY QUOTATION
23792	HRSE EZ-TORQUE 150K LB 4 1/4-4 * 8.50 TP	FACTORY QUOTATION
23794	HRSE EZ-TORQUE 200K LB 5-4 * 9 TP	FACTORY QUOTATION
23798	HRSE EZ-TORQUE 250K LB 6-4 * 9 TP	FACTORY QUOTATION

\* EXCEPTION TO STANDARD DISCOUNTS


**SAFETY ENGINEERED HOIST RING REPLACEMENT SCREWS**

Part No.	1 - UP	Part No.	1- UP
23021S	10.56	23073S	8.14
23022S	10.78	23121S	21.46
23023S	11.01	23122S	13.77
23024S	9.64	23123S	16.86
23025S	9.76	23125S	24.32
23026S	9.76	23126S	24.90
23027S	13.19	23127S	25.24
23029S	13.77	23222S	109.78
23041S	8.14	23225S	149.81
23071S	8.14	23318S	9.64
23072S	8.14	23421S	75.37

ADB/AMERICAN DRILL BUSHING

1-800-423-4425

SAFETY ENGINEERED HOIST RINGS - METRIC

Part No.	Hoist Ring Description		1 - 23	24 - 47	48 - 95	96 - 191	192-UP
24008	400KG M08-1.25 X 17MM TP		75.14	67.63	65.37	63.87	Call
24010	450KG M10-1.5 X 17MM TP		75.14	67.63	65.37	63.87	↓
24012	1050KG M12-1.75 X19MM TP		90.05	81.05	78.34	76.54	
24014	1050KG M12-1.75 X 19MM TP (Long Bar)		99.67	89.70	86.71	84.72	
24016	1900KG M16-2.0 X 24MM TP		90.05	81.05	78.34	76.54	
24018	1900KG M16-2.0 X 24MM TP (Long Bar)		99.67	89.70	86.71	84.72	
24020	2200KG M20-2.5 X 30MM TP		91.57	82.41	79.67	77.83	
24021	2200KG M20-2.5 X 30MM TP (Long Bar)		99.67	89.70	86.71	84.72	
24022	3000KG M20-2.5 X 29MM TP		196.73	177.06	171.16	167.22	
24023	3000KG M20-2.5 X 29MM TP (Long Bar)		208.82	187.94	181.67	177.50	
24024	4200KG M24-3.0 X 34MM TP		196.73	177.06	171.16	167.22	
24026	4200KG M24-3.0 X 34MM TP (Long Bar)		208.82	187.94	181.67	177.50	
24030	4500KG M30-3.5 X 54MM TP		197.36	177.62	171.70	167.76	
24032	4500KG M30-3.5 X 54MM TP (Long Bar)		208.82	187.94	181.67	177.50	
24040	7000KG M30-3.5 X 46MM TP		312.44	281.20	271.82	265.57	
24042	7000KG M30-3.5 X 66MM TP		312.44	281.20	271.82	265.57	
24050	11000KG M36-4.0 X69MM TP		408.31	367.48	355.23	347.06	
24052	12500KG M42-4.5 X79MM TP		480.95	432.86	418.43	408.81	
24054	3500KG M48-5.0 X79MM TP		480.95	432.86	418.43	408.81	
24060*	22000KG M64-6.0X102MM TP		1273.30	1273.30	1273.30	1273.30	
24062*	31500KG M 72-6.0X132MM TP		2126.92	2126.92	2126.92	2126.92	
24064	51000KG M90-6.0X178MM TP		FACTORY QUOTATION				

\* EXCEPTION TO STANDARD DISCOUNTS

EZ-TORQUE™ HOIST RINGS - METRIC



Part No.	Hoist Ring Description	List Price
24290	HRSEM EZ-TORQUE 13500KG M48-5.0 X 79 TP	667.63
24490	HRSEM EZ-TORQUE 7000KG M30-3.5 X 66MM TP	470.32
24494	HRSEM EZ-TORQUE 11000KG M36-4.0 X 69 TP	594.20
24498	HRSEM EZ-TORQUE 12500KG M42-4.5 X 79 TP	667.63
24592*	HRSEM EZ-TORQUE 22000KG M64-6.0X102 TP	1609.41
24690*	HRSEM EZ-TORQUE 31500KG M72-6.0 X 132 TP	2709.50
24790	HRSEM EZ-TORQUE 51000KG M90-6.0 X 178 TP	FACTORY QUOTATION

\* EXCEPTION TO STANDARD DISCOUNTS

SAFETY ENGINEERED HOIST RING REPLACEMENT SCREWS - METRIC

Part No.	1 - UP	Part No.	1 - UP
24208S	9.64	24224S	24.24
24210S	9.64	24230S	52.94
24212S	11.45	24421S	86.20
24216S	17.37	24433S	86.20
24220S	21.34	24223S	109.78
24222S	23.76		

ADB/AMERICAN DRILL BUSHING

1-800-423-4425

**STAINLESS STEEL SAFETY ENGINEERED HOIST RINGS**



Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
29001	2K LB 5/8-11 X .78 TP	242.14	217.93	210.66	205.82	Call
29002	2K LB 5/8-11 X 1.03 TP	242.14	217.93	210.66	205.82	
29003	2K LB 5/8-11 X 1.28 TP	242.14	217.93	210.66	205.82	
29004	1.250K LB 1-2-13 X .78 TP	238.11	214.30	207.16	202.39	
29005	1.250K LB 1/2-13 X 1.03 TP	238.11	214.30	207.16	202.39	
29006	1.250K LB 1/2-13 X 1.28 TP	238.11	214.30	207.16	202.39	
29007	2.500K LB 3/4-10 X 1.03 TP	242.14	217.93	210.66	205.82	
29009	2.500K LB 3/4-10 X 1.53 TP	242.14	217.93	210.66	205.82	
29050	0.275K LB 1/4-20 X .54 TP	196.79	177.11	171.21	167.27	
29051	0.400K LB 5/16-18 X .29 TP	196.79	177.11	171.21	167.27	
29052	0.400K LBS 5/16-18 X .54TP	196.79	177.11	171.21	167.27	
29053	0.500K LB 3/8-16 X .54 TP	196.79	177.11	171.21	167.27	
29101	4K LB 7/8-9 X 1.04 TP	381.99	343.79	332.33	324.69	
29102	3.500K LB 3/4-10 X 1.04 TP	381.99	343.79	332.33	324.69	
29103	3.500K LB 3/4-10 X 1.54 TP	381.99	343.79	332.33	324.69	
29105	5K LB 1-8 X 1.29 TP	394.72	355.25	343.41	335.51	
29106	5K LB 1-8 X 1.54 TP	394.72	355.25	343.41	335.51	
29107	5K LB 1-8 X 2.29 TP	394.72	355.25	343.41	335.51	
29200	15K LB 2-4 1/2 X 2.96 TP	1137.66	1023.89	989.76	967.01	
29202	12K LB 1 1/2-6 X 2.70 TP	1069.40	962.46	930.38	908.99	
29301	1.250K LB 1/2-13 X 1.07 TP	239.34	215.41	208.23	203.44	
29320	2K LB 5/8-11 X 1.03 TP (Long Bar)	282.59	254.33	245.85	240.20	
29321	2K LB 5/8-11 X 1.28 TP (Long Bar)	282.59	254.33	245.85	240.20	
29322	1.250K LB 1/2-13 X .78 TP (Long Bar)	282.59	254.33	245.85	240.20	
29323	1.250K LB 1/2-13X1.03 TP(Long Bar)	282.59	254.33	245.85	240.20	
29324	1.250K LB 1/2-13 X 1.28 TP (Long Bar)	282.59	254.33	245.85	240.20	
29325	2.500K LB 3/4-10 X 1.03 TP (Long Bar)	282.59	254.33	245.85	240.20	
29327	2.500K LB 3/4-10 X 1.53 TP (Long Bar)	282.59	254.33	245.85	240.20	
29328	4K LB 7/8-9 X 1.04 TP (Long Bar)	486.38	437.74	423.15	413.42	
29329	3.500K LB 3/4-10 X 1.04 TP (Long Bar)	486.38	437.74	423.15	413.42	
29330	3.500K LB 3/4-10 X 1.54 TP (Long Bar)	486.38	437.74	423.15	413.42	
29331	5K LB 1-8 X 1.29 TP (Long Bar)	486.38	437.74	423.15	413.42	
29332	5K LB 1-8 X 1.54 TP (Long Bar)	486.38	437.74	423.15	413.42	
29333	5K LB 1-8 X 2.29 TP (Long Bar)	486.38	437.74	423.15	413.42	
29401	7.500K LB 1 1/4-7 X 1.89 TP	743.91	669.52	647.20	632.32	
29501*	25K LB 2 1/2-8 X 4 TP	3183.26	3183.26	3183.26	3183.26	
29503*	25K LB 2 1/2-4 X 4 TP	3183.26	3183.26	3183.26	3183.26	
29600	37.500K LB 3-4 X 5.20 TP		Factory Quotation			
29701	50K LB 3 1/2-4 X 7 TP		Factory Quotation			

\* EXCEPTION TO STANDARD DISCOUNTS

**STAINLESS STEEL SAFETY ENGINEERED HOIST RINGS - METRIC**



Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
29808	200 KG M8-1.25 X 17 MM TP	196.79	177.11	171.21	167.27	Call
29810	225 KG M10-1.50 X 17 MM TP	196.79	177.11	171.21	167.27	↓
29812	525 KG M12-1.75 X 19 MM TP	238.11	214.30	207.16	202.39	
29816	950 KG M16-2.0 X 24 MM TP	238.11	214.30	207.16	202.39	
29818	950 KG M16-2.0 X 24MM TP (Long Bar)	282.59	254.33	245.85	240.20	
29820	1100 KG M20-2.5 X 30 MM TP	242.14	217.93	210.66	205.82	
29822	1500 KG M20-2.5 X 29 MM TP	381.99	343.79	332.33	324.69	
29824	2100 KG M24 X 3.0 * 34 MM TP	381.99	343.79	332.33	324.69	
29830	2250 KG M30-3.5 X 54 MM TP	394.72	355.25	343.41	335.51	
29840	3500 KG M30-3.5 X 46 MM TP	743.91	669.52	647.20	632.32	
29842	3500 KG M30-3.5 X 66 MM TP	743.91	669.52	647.20	632.32	
29850	5500 KG M36-4.0 X 69 MM TP	1069.40	962.46	930.38	908.99	
29852	6250 KG M42-4.5 X 79 MM TP	1137.66	1023.89	989.76	967.01	
29854	7250 KG M48-5.0 X 79 MM TP	1137.66	1023.89	989.76	967.01	
29860*	11000 KG M64-6.0 X 102 MM TP	3183.26	3183.26	3183.26	3183.26	

\* EXCEPTION TO STANDARD DISCOUNTS

**SIDE-PULL HOIST RINGS**



Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
36110	HRSP 650 LBS 5/16-18 X .63 TP	84.17	80.80	77.44	74.07	Call
36115	HRSP 800 LBS 3/8-16 X .75 TP	84.17	80.80	77.44	74.07	↓
36120	HRSP 1800 LBS 1/2-13 X 1.00 TP	104.23	100.06	95.89	91.72	
36125	HRSP 2500 LBS 5/8-11 X 1.25 TP	104.23	100.06	95.89	91.72	
36130	HRSP 4100 LBS 3/4-10 X 1.50 TP	233.01	223.69	214.37	205.05	
36135	HRSP 7100 LBS 1 - 8 X 1.75 TP	233.01	223.69	214.37	205.05	
36140	HRSP 14000 LBS 1 1/4-7 X 2.00 TP	508.39	488.05	467.72	447.38	
36143	HRSP 14000 LBS 1 1/4-8 X 2.00 TP	508.39	488.05	467.72	447.38	
36145	HRSP 17200 LBS 1 1/2-6 X 2.50 TP	508.39	488.05	467.72	447.38	
36148	HRSP 17200 LBS 1 1/2-8 X 2.50 TP	508.39	488.05	467.72	447.38	
36150	HRSP 29000 LBS 2 - 4 1/2 X 3.13 TP	764.19	733.62	703.05	672.49	
36155	HRSP 29000 LBS 2-8 X 3.13 TP	764.19	733.62	703.05	672.49	

**SIDE-PULL HOIST RINGS - METRIC**



Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
36710	400 KG M8 X 1.25 X 16 MM TP	84.17	80.80	77.44	74.07	Call
36715	650 KG M10 X 1.5 X 20 MM TP	84.17	80.80	77.44	74.07	↓
36720	900 KG M12 X 1.75 X 24 MM TP	104.23	100.06	95.89	91.72	
36725	1600 KG M16 X 2.0 X 32 MM TP	104.23	100.06	95.89	91.72	
36730	2500 KG M20 X 2.5 X 40 MM TP	233.01	223.69	214.37	205.05	
36735	3500 KG M24 X 3.0 X 48 MM TP	233.01	223.69	214.37	205.05	
36740	5500 KG M30 X 3.5 X 60 MM TP	508.39	488.05	467.72	447.38	

ADB/AMERICAN DRILL BUSHING

1-800-423-4425

**SIDE-PULL HOIST RINGS - METRIC - CONTINUED**

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
36745	8000 KG M36 X 4.0 X 72 MM TP	508.39	488.05	467.72	447.38	Call
36748	11000 KG M42 X 4.5 X 84 MM TP	508.39	488.05	467.72	447.38	↓
36750	14000 KG M48 X 5.0 X 96 MM TP	764.19	733.62	703.05	672.49	
36755	25000 KG M64 X 6.0 X 128 MM TP	764.19	733.62	703.05	672.49	

LOW PROFILE SIDE-PULL HOIST RINGS

Part No.	Hoist Ring Description	List Price
84022	HRLPSP M20-2.5 3000KG (Metric)	187.48
83202	HRLPSP 2-4 1/2 24K	458.30
83200	HRLPSP 2-4 1/2 30K	458.30

SHACKLE HOIST RINGS



Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
36510	SHACKLE HR ASSY (2000 LB)	103.00	99.91	96.82	92.70	Call
36520	SHACKLE HR ASSY (3000 LB)	116.80	113.30	109.79	105.12	↓
36530	SHACKLE HR ASSY (4000 LB)	134.39	130.36	126.33	120.95	
36540	SHACKLE HR ASSY (6500 LB)	154.40	149.77	145.14	138.96	
36550	SHACKLE HR ASSY (13000 LB)	203.98	197.86	191.74	183.58	
36560	SHACKLE HR ASSY (19000 LB)	272.55	264.37	256.20	245.30	
36570	SHACKLE HR ASSY (24000 LB)	334.99	324.94	314.89	301.49	

UNIVERSAL LIFT RINGS



Part No.	Description	1 - UP
34005	.4-1.4K UNIV. LIFT RING (SMALL)	36.77
34010	2.6-6K UNIV LIFT RING (LARGE)	49.05

FLIP-FLOP HOIST RINGS



Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
34030	HRRF 2K-LB HOIST RING	14.55	13.10	12.66	12.37	Call
34035	HRRF 2.5K-LB HOIST RING	15.35	13.82	13.35	13.05	↓
34040	HRRF 5K-LB HOIST RING	21.94	19.75	19.09	18.65	
34045	HRRF 12K-LB HOIST RING	47.88	43.09	41.66	40.70	
34050	HRRF 20K-LB HOIST RING	69.69	62.72	60.63	59.24	

SCREWS FOR FLIP-FLOP HOIST RINGS

Part No.	Net
23812	0.57
23813	0.86
23804	1.72
23805	2.07
33645	3.38

ADB/AMERICAN DRILL BUSHING  
1-800-423-4425

FLIP-FLOP HOIST RINGS WITH SCREWS

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
34030S	2K-LB (SHIP W/(2) MTG SCREWS	15.69	14.12	13.65	13.34	Call
34035S	2.5K-LB (SHIP W/(2)MTG SCREWS	17.07	15.36	14.85	14.51	↓
34040S	5K-LB (SHIP W/(2)MTG SCREWS	25.38	22.84	22.08	21.57	
34045S	12K-LB (SHIP W/(4) MTG SCREWS	56.16	50.54	48.86	47.74	
34050S	20K-LB (SHIP W/(4) MTG SCREWS	83.21	74.89	72.39	70.73	

SUPER-COIL™ HOIST RINGS



Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - UP
33716CT	HRSC 5K 3/4	77.59	69.83	67.50	65.95
33107CT	HRSC 10K 1	160.83	144.75	139.92	136.71
33401CT	HRSC 15K 1 1/4	228.31	205.48	198.63	194.06
33424CT	HRSC 24K 1 1/2	266.53	239.88	231.88	226.55

HEAVY DUTY® PIVOT LIFT PLATE



Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - UP
36620	PIVOT LIFT PLATE-7K 3/4	105.11	94.60	91.45	89.34
36625	PIVOT LIFT PLATE-10K 1	105.11	94.60	91.45	89.34
36630	PIVOT LIFT PLATE-15K 1 1/4	140.10	126.09	121.89	119.09
36635	PIVOT LIFT PLATE-24K 1 1/2	140.10	126.09	121.89	119.09

HEAVY DUTY® SWIVEL/PIVOT LIFT PLATE



Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - UP
36600	HRSPLP 7K 3/4	149.61	142.13	134.65	127.17
36605	HRSPLP 10K 1	149.61	142.13	134.65	127.17
36610	HRSPLP 15K-1 1/4	222.68	211.55	200.41	189.28
36615	HRSPLP 24K 1 1/2	222.68	211.55	200.41	189.28

SAFETY ENGINEERED SWIVEL/PIVOT LIFT PLATE

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - UP
36785	HRSESPLP 10K 3/4	176.81	167.97	159.13	150.29
36790	HRSESPLP 15K 1	263.15	250.00	236.84	223.69
36795	HRSESPLP 15K 1 1/4	263.15	250.00	236.84	223.69

HEAVY DUTY® WELD-MOUNT HOIST RINGS



Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - UP
36640	HRHD WELD-MOUNT-5K 5/8-11	106.30	95.67	92.48	90.36
36645	HRHD WELD-MOUNT-10K 1-8	155.76	140.18	135.51	132.40
36650	HRHD WELD-MOUNT-24K	199.08	179.17	173.20	169.22

ADB/AMERICAN DRILL BUSHING

1-800-423-4425

HEAVY DUTY® ROAD PLATE HOIST RINGS



Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - UP
36660	ROAD PLATE-10K 1 1/4-7 X 1 TP	145.82	131.24	126.86	123.95
36665	ROAD PLATE-10K 1 1/2-6 X 1 1/2 TP	159.71	143.74	138.95	135.75
36670	ROAD PLATE-15K 1 1/4-7 X 1 TP	220.85	198.77	192.14	187.72
36675	ROAD PLATE-15K 1 1/2-6 X 1 1/2 TP	256.27	230.64	222.95	217.83

BOLT TYPE ANCHOR SHACKLES



Part No.	Rated Load (lbs)	Size	1 - UP
36511	2000	3/8"	7.97
36521	3000	7/16"	10.63
36531	4000	1/2"	12.40
36541	6500	5/8"	13.52
36551	13000	7/8"	27.45
36561	19000	1-1/8"	49.46
36571	24000	1-1/4"	61.67

WELDLESS ALLOY RINGS



Part No.	Rated Load (lbs)	Size	1 - UP
36111	3800	3/8"	10.57
36121	6100	5/8"	16.17
36131	18400	1"	28.78
36141	30000	1-3/8"	39.78
36151	49000	1-1/2"	84.26

BAR-TITE® HOIST RINGS



Part No.	Rated Load (lbs)	Thread	List Price*
34930	10000	1 1/4 UNC	212.47
34935*	10000	1 1/4 UNC	216.02
34940	10000	1 1/4 COIL	212.47
34945*	10000	1 1/4 COIL	216.02
34950	10000	1 1/4 ACME	212.47
34955*	10000	1 1/4 ACME	216.02
34960	10000	1 1/2 UNC	212.47
34965*	10000	1 1/2 UNC	216.02
34970	10000	1 1/2 COIL	212.47
34975*	10000	1 1/2 COIL	216.02
34980	10000	1 1/2 ACME	212.47
34985*	10000	1 1/2 ACME	216.02

\* Long Bar

**BAR-TITE® HEAVY DUTY REPLACEMENT STUDS**

<u>Part No.</u>	<u>Thread</u>	<u>List Price*</u>
33950	1 1/4 COIL	35.24
33955	1 1/4 UNC	35.24
33960	1 1/4 ACME	35.24
33965	1 1/2 COIL	40.37
33970	1 1/2 UNC	40.37
33975	1 1/2 ACME	40.37

**BAR-TITE® NUTS**

<u>Part No.</u>	<u>List Price*</u>
33633	10.83

**FAST-LOK™ LIFTING SYSTEM**



<u>Part No.</u>		<u>List Price*</u>
36905	FAST-LOK TOOL	145.00
36551	SHACKLE	27.45
36900	PLATE	28.33
36903	PIN	35.41
36906	FAST-LOK™ SYSTEM (Includes Tool, Shackle, Plate, Pin)	207.86



**SCISSOR-LOK™ SYSTEM**

<u>Part No.</u>		<u>List Price</u>
36860	SCISSOR-LOK TOOL	159.00
36551	SHACKLE	27.45
36900	PLATE	28.33
36903	PIN	35.41
36865	SCISSOR-LOK™ SYSTEM (Includes Tool, Shackle, Plate, Pin)	221.86

\* Quantities of 25 or more, contact factory for quotation.

**CHAIN SLING LIFTING SYSTEMS**

<u>Part No.</u>		<u>List Price</u>
36680	CHAIN SLING, SHACKLE	105.91
36685	CHAIN SLING, SHACKLE, PIN	118.04
36690	FAST-LOK™, CHAIN SLING, SHACKLE, PIN	273.53
36870	SCISSOR-LOK™, CHAIN SLING, SHACKLE, PIN	287.53

**LUG LOK® Hoist Rings**



<u>Part No.</u>	<u>Rated Load (lbs)</u>	<u>Thread</u>	<u>List Price*</u>
36920	10000	1 1/4 UNC	265.60
36925	10000	1 1/2 UNC	265.60
36930	10000	1 1/4 COIL	265.60
36935	10000	1 1/2 COIL	265.60
36940	10000	1 1/4 ACME	265.60
36945	10000	1 1/2 ACME	265.60

**LUG LOK® HOIST RING REPLACEMENT SCREWS**

<u>Part No.</u>	<u>Thread</u>	<u>List Price*</u>
36922	1 1/4 UNC	35.24
36927	1 1/2 UNC	40.37
36932	1 1/4 COIL	35.24
36937	1 1/2 COIL	40.37
36942	1 1/4 ACME	35.24
36947	1 1/2 ACME	40.37

**HEAVY DUTY® SAFETY LIFT EYE**



<u>Part No.</u>	<u>Rated Load (lbs)</u>	<u>Thread</u>	<u>List Price</u>
36480	10000	1 UNC	117.45
36481	10000	1 COIL	117.45
36482	10000	1 1/4 UNC	117.45
36483	10000	1 1/4 COIL	117.45
36484	15000	1 1/4 UNC	129.84
36485	15000	1 1/4 COIL	129.84
36486	15000	1 1/2 UNC	129.84
36487	15000	1 1/2 COIL	129.84

**SPIN-N-LOK™ HOIST RINGS**



<u>Part No.</u>	<u>Rated Load (lbs)</u>	<u>Thread</u>	<u>List Price</u>
36950	10000	1 1/4 UNC	245.00
36955	10000	1 1/2 UNC	255.00
36960	10000	1 1/4 COIL	245.00
36965	10000	1 1/2 COIL	255.00

**SPIN-N-LOK™ XT HOIST RINGS**

<u>Part No.</u>	<u>Rated Load (lbs)</u>	<u>Length</u>	<u>Thread</u>	<u>List Price</u>
76915	10000	12"	1 COIL	303.09
76920	10000	15"	1 COIL	312.65

**WELD-IN THREADED INSERTS**



<u>Part No.</u>	<u>Thread</u>	<u>List Price*</u>
36980	3/4 UNC	32.46
36982	1 UNC	32.46
36984	1 1/4 UNC	32.46
36986	1 1/4 COIL	32.46
36988	1 1/4 ACME	32.46
36990	1 1/2 UNC	34.24
36992	1 1/2 COIL	34.24
36994	1 1/2 ACME	34.24
36996	2 UNC	34.24

\* Quantities of 25 or more, contact factory for quotation.

ADB/AMERICAN DRILL BUSHING

1-800-423-4425

[TOWER LIFTING TOOL SETS](#)



Top



Bottom

Patents: 5,848,815 , 6,953,212

Other Patents Pending

**Part No.**

83503 WIND-TOWER<sup>(TM)</sup> TOWER LIFTING TOOL SET  
(4 Top Mount Tools / 2 Bottom MountTools)

**List Price**

**Call**