

ADB/AMERICAN DRILL BUSHING  
1-800-423-4425



**PRICE LIST**

Prices and Specifications Subject to Change Without Notice

Effective January 1, 2008

Heavy Duty® SAFETY HOIST RINGS

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
33101	HRHD 8K LB 7/8-9 * 1.20 TP	137.34	132.44	127.88	123.61	
33102	HRHD 7K LB 3/4-10 * 1.20 TP	137.34	132.44	127.88	123.61	
33103	HRHD 7K LB 3/4-10 * 1.45 TP	137.34	132.44	127.88	123.61	
33104	HRHD 8K LB 7/8-9 * .95 TP	137.34	132.44	127.88	123.61	
33105	HRHD 10K LB 1-8 * 1.45 TP	142.50	137.41	132.68	128.25	
33106	HRHD 10K LB 1-8 * 1.20 TP	142.50	137.41	132.68	128.25	
33107	HRHD 10K LB 1-8 * 2.20 TP	142.50	137.41	132.68	128.25	
33108	HRHD 7K LB 3/4-10 * .95 TP	137.34	132.44	127.88	123.61	
33112	HRHD 0.55K LB 1/4-20 X .56 TP	50.12	48.33	46.67	45.11	
33161	HRHD 8K LB 7/8-9 * 1.20 TP (Long Bar)	154.50	148.98	143.85	139.05	
33162	HRHD 7K LB 3/4-10 * 1.20 TP (Long Bar)	154.50	148.98	143.85	139.05	
33163	HRHD 7K LB 3/4-10 * 1.45 TP (Long Bar)	154.50	148.98	143.85	139.05	Q
33164	HRHD 8K LB 7/8-9 * .95 TP (Long Bar)	154.50	148.98	143.85	139.05	U
33165	HRHD 10K LB 1-8 * 1.45 TP (Long Bar)	160.31	154.59	149.26	144.28	O
33166	HRHD 10K LB 1-8 * 1.20 TP (Long Bar)	160.31	154.59	149.26	144.28	T
33167	HRHD 10K LB 1-8 * 2.20 TP (Long Bar)	160.31	154.59	149.26	144.28	E
33168	HRHD 7K LB 3/4-10 * .95 TP (Long Bar)	154.50	148.98	143.85	139.05	
33212	HRHD .8K LB 5/16-18 * .56 TP	50.12	48.33	46.67	45.11	O
33214	HRHD .8K LB 5/16-18 * 1.06 TP	50.12	48.33	46.67	45.11	N
33312	HRHD 1K LB 3/8-16 * .56 TP	50.12	48.33	46.67	45.11	
33314	HRHD 1K LB 3/8-16 * 1.06 TP	50.12	48.33	46.67	45.11	R
33316	HRHD 2.25K LB 1/2-13 * 1.06 TP	50.12	48.33	46.67	45.11	E
33401	HRHD 15K LB 1 1/4-7*2.63 TP	212.09	204.52	197.48	190.88	Q
33402	HRHD 15K LB 1 1/4-7 * 1.88 TP	212.09	204.52	197.48	190.88	U
33420	HRHD 20K LB 1 3/8-6 * 2.63 TP	226.96	218.86	211.32	204.26	E
33424	HRHD 24K LB 1 1/2-6 * 2.63 TP	244.31	235.59	227.48	219.88	S
33427	HRHD 30K LB 2-4 1/2 * 2.96 TP	411.49	396.80	383.14	370.34	T
33432	HRHD 30K LB 2-8 * 2.96 TP	411.49	396.80	383.14	370.34	
33505	HRHD 2.5K LB 1/2-13 * 1 TP (Long Bar)	68.31	65.87	63.60	61.48	
33512	HRHD 2.5K LB 1/2-13 * .75 TP	60.72	58.55	56.54	54.65	
33513	HRHD 2.5K LB 1/2-13 * .75 TP (Long Bar)	68.31	65.87	63.60	61.48	
33515	HRHD 2.5K LB 1/2-13 * 1 TP	60.72	58.55	56.54	54.65	
33516	HRHD 2.5K LB 1/2-13 * 1.25 TP	60.72	58.55	56.54	54.65	
33517	HRHD 2.5K LB 1/2-13 * 1.25 TP (Long Bar)	68.31	65.87	63.60	61.48	
33604	HRHD 4K LB 5/8-11 * 1 TP (Long Bar)	68.31	65.87	63.60	61.48	
33612	HRHD 4K LB 5/8-11 * .75 TP	60.72	58.55	56.54	54.65	

ADB/AMERICAN DRILL BUSHING  
1-800-423-4425

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
33613	HRHD 4K LB 5/8-11 * .75 TP (Long Bar)	68.31	65.87	63.60	61.48	↓
33614	HRHD 4K LB 5/8-11 * 1 TP	60.72	58.55	56.54	54.65	
33615	HRHD 4K LB 5/8-11 * 1.25 TP	60.72	58.55	56.54	54.65	
33616	HRHD 4K LB 5/8-11 * 1.25 TP (Long Bar)	68.31	65.87	63.60	61.48	
33714	HRHD 5K LB 3/4-10 * 1 TP	63.11	60.86	58.76	56.80	
33715	HRHD 5K LB 3/4-10 * 1 TP (Long Bar)	70.99	68.46	66.10	63.89	
33716	HRHD 5K LB 3/4-10 * 1.5 TP	63.11	60.86	58.76	56.80	
33717	HRHD 5K LB 3/4-10 * 1.5 TP (Long Bar)	70.99	68.45	66.10	63.89	

[Heavy Duty® Hoist Rings REPLACEMENT SCREWS](#)

Part No.	1 - UP	Part No.	1 - UP
33119S	16.86	33419S	75.37
33121S	21.46	33421S	75.37
33122S	16.86	33422S	109.78
33123S	16.86	33429S	109.78
33125S	24.90	33554S	9.76
33126S	24.90	33555S	9.76
33127S	25.24	33556S	9.76
33152S	8.14	33653S	10.90
33252S	8.38	33654S	11.01
33254S	8.38	33655S	11.01
33352S	8.38	33754S	13.77
33354S	8.38	33756S	16.86

[Heavy Duty® Hoist Rings - METRIC](#)

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
34161	3000KG M20-2.5 * 28MM TP(Long Bar)	154.50	148.98	143.85	139.05	↑
34162	4200KG M24-3.0 * 28MM TP(Long Bar)	154.50	148.98	143.85	139.05	
34163	4200KG M24-3.0 * 38MM TP (Long Bar)	154.50	148.98	143.85	139.05	
34165	4500KG M30-3.5 * 38MM TP (Long Bar)	160.31	154.59	149.26	144.28	
34167	4500KG M30-3.5 * 48MM TP (Long Bar)	160.31	154.59	149.26	144.28	
34101	3000KG M20-2.5 * 28MM TP	137.34	132.44	127.88	123.61	Q
34102	4200KG M24-3.0 * 28MM TP	137.34	132.44	127.88	123.61	U
34103	4200KG M24-3.0 * 38MM TP	137.34	132.44	127.88	123.61	O
34105	4500KG M30-3.5 * 38MM TP	142.50	137.41	132.68	128.25	T
34107	4500KG M30-3.5 X 48MM TP	142.50	137.41	132.68	128.25	E
34212	400KG M8-1.25 * 16mm TP	50.12	48.33	46.67	45.11	
34214	400KG M8-1.25 * 21mm TP	50.12	48.33	46.67	45.11	O
34312	450KG M10-1.5 * 16mm TP	50.12	48.33	46.67	45.11	N
34314	450KG M10-1.5 * 26mm TP	50.12	48.33	46.67	45.11	
34401	7000KG M30-3.5 * 67mm TP	212.09	204.52	197.48	190.88	R
34402	11000KG M36x4.0 * 67mm TP	244.31	235.59	227.48	219.88	E

**ADB/AMERICAN DRILL BUSHING  
1-800-423-4425**

<b>Part No.</b>	<b>Hoist Ring Description</b>	<b>1 - 23</b>	<b>24 - 47</b>	<b>48 - 95</b>	<b>96 - 191</b>	<b>Q</b>
<b>34403</b>	12500 KG M42 X 4.5 * 80MM TP	411.49	396.80	383.14	370.34	<b>U</b>
<b>34404</b>	13500 KG M48 X 5.0 X 80MM TP	411.49	396.80	383.14	370.34	<b>E</b>
<b>34505</b>	1050KG M12-1.75 * 25MM TP(Long Bar)	68.31	65.87	63.60	61.48	<b>S</b>
<b>34515</b>	1050KG M12-1.75 * 25MM TP	60.72	58.55	56.54	54.65	<b>T</b>
<b>34516</b>	1050KG M12-1.75 * 32MM TP	60.72	58.55	56.54	54.65	
<b>34517</b>	1050KG M12-1.75 * 32MM TP (Long Bar)	68.31	65.87	63.60	61.48	
<b>34604</b>	1900KG M16-2.0 X 25MM TP (Long Bar)	68.31	65.87	63.60	61.48	
<b>34614</b>	1900KG M16-2.0 X 25MMTP	60.72	58.55	56.54	54.65	
<b>34615</b>	1900KG M16-2.0 * 32MM TP	60.72	58.55	56.54	54.65	
<b>34616</b>	1900KG M16-2.0 * 32MM TP(Long Bar)	68.31	65.87	63.60	61.48	
<b>34714</b>	2200KG M20-2.5 * 25MM TP	63.11	60.86	58.76	56.80	
<b>34715</b>	2200KG M20-2.5 * 25MM TP(Long Bar)	70.99	68.46	66.10	63.89	
<b>34716</b>	2200KG M20-2.5 * 38MM TP	63.11	60.86	58.76	56.80	
<b>34717</b>	2200KG M20-2.5 * 38MM TP(Long Bar)	70.99	68.46	66.10	63.89	



[Heavy Duty® Hoist Ring REPLACEMENT SCREWS - METRIC](#)

<b>Part No.</b>	<b>1 - UP</b>	<b>Part No.</b>	<b>1 - UP</b>
<b>34252S</b>	9.64	34131S	21.34
<b>34254S</b>	9.64	34120S	22.86
<b>34352S</b>	9.64	34121S	24.24
<b>34354S</b>	9.64	34123S	24.24
<b>34555S</b>	11.45	34126S	52.94
<b>34556S</b>	11.45	34127S	52.94
<b>34654S</b>	12.39	34421S	86.31
<b>34655S</b>	12.39	34422S	109.78
<b>34130S</b>	21.34		

[Heavy Duty® SIDE-PULL HOIST RINGS](#)

<b>Part No.</b>	<b>Hoist Ring Description</b>	<b>1 - 23</b>	<b>24 - 47</b>	<b>48 - 95</b>	<b>96 - 191</b>	<b>192-UP</b>
<b>36305</b>	HDSP .8K LB 5/16-18 X .479 TP	72.90	69.98	67.07	64.15	<b>Q. O. R.</b>
<b>36310</b>	HDSP 1K LB 3/8-16 X .479 TP	72.90	69.98	67.07	64.15	
<b>36315</b>	HDSP 2.5K LB 1/2-13 X .979 TP	92.07	88.39	84.70	81.02	
<b>36320</b>	HDSP 4K LB 5/8-11 X .979 TP	92.07	88.39	84.70	81.02	
<b>36325</b>	HDSP 5K LB 3/4-10 X 1.229 TP	135.75	130.32	124.89	119.46	
<b>36330</b>	HDSP 7K LB 3/4-10 X 1 1/4 TP	198.31	190.38	182.45	174.51	
<b>36335</b>	HDSP 8K LB 7/8-9 X 1 1/4 TP	198.31	190.38	182.45	174.51	
<b>36340</b>	HDSP 10K LB 1-8 X 1 1/2 TP	198.31	190.38	182.45	174.51	



ADB/AMERICAN DRILL BUSHING  
1-800-423-4425

Heavy Duty® SIDE-PULL HOIST RINGS - METRIC

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
<b>36805</b>	400KG M8X1.25 X 14MM TP	78.00	74.88	71.76	68.64	Q. O. R.
<b>36810</b>	450KG M10X1.5 X 24MM TP	78.00	74.88	71.76	68.64	↓
<b>36815</b>	1050KG M12X1.75 X 37MM TP	98.52	94.58	90.64	86.70	
<b>36820</b>	1900KG M16X2.0 X 37MM TP	98.52	94.58	90.64	86.70	
<b>36825</b>	2200KG M20X2.5 X 37MM TP	145.25	139.44	133.63	127.82	
<b>36830</b>	3000KG M20X2.5 X 39MM TP	212.19	203.70	195.21	186.73	
<b>36835</b>	4200KG M24X3.0 X 43MM TP	212.19	203.70	195.21	186.73	

SAFETY ENGINEERED HOIST RINGS

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
<b>23001</b>	HRSE 4K LB 5/8-11 * 0.78 TP	91.57	82.41	79.67	77.83	↑
<b>23002</b>	HRSE 4K LB 5/8-11 * 1.03 TP	91.57	82.41	79.67	77.83	
<b>23003</b>	HRSE 4K LB 5/8-11 * 1.28 TP	91.57	82.41	79.67	77.83	
<b>23004</b>	HRSE 2.5K LB 1/2-13 * 0.78 TP	90.05	81.05	78.34	76.54	
<b>23005</b>	HRSE 2.5K LB 1/2-13 * 1.03 TP	90.05	81.05	78.34	76.54	
<b>23006</b>	HRSE 2.5K LB 1/2-13 * 1.28 TP	90.05	81.05	78.34	76.54	
<b>23007</b>	HRSE 5K LB 3/4-10 * 1.03 TP	91.57	82.41	79.67	77.83	↑
<b>23008</b>	HRSE 5K LB 3/4-10 * 1.28 TP	91.57	82.41	79.67	77.83	
<b>23009</b>	HRSE 5K LB 3/4-10 * 1.53 TP	91.57	82.41	79.67	77.83	
<b>23050</b>	HRSE 550 LB 1/4-20 * .54 TP	75.14	67.63	65.37	63.87	
<b>23051</b>	HRSE 800 LB 5/16-18 * .29 TP	75.14	67.63	65.37	63.87	
<b>23052</b>	HRSE 800 LB 5/16-18 * .54 TP	75.14	67.63	65.37	63.87	
<b>23053</b>	HRSE 1K LB 3/8-16 * .54 TP	75.14	67.63	65.37	63.87	
<b>23101</b>	HRSE 8K LB 7/8-9 * 1.04 TP	196.73	177.06	171.16	167.22	
<b>23102</b>	HRSE 7K LB 3/4-10 * 1.04 TP	196.73	177.06	171.16	167.22	
<b>23103</b>	HRSE 7K LB 3/4-10 * 1.54 TP	196.73	177.06	171.16	167.22	
<b>23105</b>	HRSE 10K LB 1-8 * 1.29 TP	197.36	177.62	171.70	167.76	↑
<b>23106</b>	HRSE 10K LB 1-8 * 1.54 TP	197.36	177.62	171.70	167.76	
<b>23107</b>	HRSE 10K LB 1-8 * 2.29 TP	197.36	177.62	171.70	167.76	↑
<b>23200</b>	HRSE 30K LB 2-4 1/2 * 2.96 TP	480.95	432.86	418.43	408.81	
<b>23201</b>	HRSE 30K LB 2-4 1/2*2.96TP(SHCS)	480.95	432.86	418.43	408.81	↑
<b>23202</b>	HRSE 24K LB 1 1/2-6 * 2.70 TP	408.31	367.48	355.23	347.06	
<b>23301</b>	HRSE 2.5K LB 1/2-13 * 1.07 TP	90.51	81.46	78.74	76.93	↑
<b>23320</b>	HRSE 4K LB 5/8-11 * 1.03 TP (Long Bar)	99.67	89.70	86.71	84.72	
<b>23321</b>	HRSE 4K LB 5/8-11 * 1.28 TP (Long Bar)	99.67	89.70	86.71	84.72	
<b>23322</b>	HRSE 2.5K LB 1/2-13 * 0.78 TP (Long Bar)	99.67	89.70	86.71	84.72	
<b>23323</b>	HRSE 2.5K LB 1/2-13 * 1.03 TP (Long Bar)	99.67	89.70	86.71	84.72	
<b>23324</b>	HRSE 2.5K LB 1/2-13 * 1.28 TP (Long Bar)	99.67	89.70	86.71	84.72	
<b>23325</b>	HRSE 5K LB 3/4-10 * 1.03 TP (Long Bar)	99.67	89.70	86.71	84.72	
<b>23327</b>	HRSE 5K LB 3/4-10 * 1.53 TP (Long Bar)	99.67	89.70	86.71	84.72	
<b>23328</b>	HRSE 8K LB 7/8-9 * 1.04 TP (Long Bar)	208.82	187.94	181.67	177.50	

ADB/AMERICAN DRILL BUSHING  
1-800-423-4425

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
23329	HRSE 7K LB 3/4-10 * 1.04 TP (Long Bar)	208.82	187.94	181.67	177.50	↓
23330	HRSE 7K LB 3/4-10 * 1.54 TP (Long Bar)	208.82	187.94	181.67	177.50	
23331	HRSE 10K LB 1-8 * 1.29 TP (Long Bar)	208.82	187.94	181.67	177.50	
23332	HRSE 10K LB 1-8 * 1.54 TP (Long Bar)	208.82	187.94	181.67	177.50	
23333	HRSE 10K LB 1-8 * 2.29 TP (Long Bar)	208.82	187.94	181.67	177.50	
23401	HRSE 15K LB 1 1/4-7 * 1.89 TP	312.44	281.20	271.82	265.57	
23501*	HRSE 50K LB 2 1/2-8 * 4.00 TP	1273.30	1273.30	1273.30	1273.30	
23503*	HRSE 50K LB 2 1/2-4 * 4.00 TP	1273.30	1273.30	1273.30	1273.30	
23600*	HRSE 75K LB 3-4 * 5.20 TP	2126.92	2126.92	2126.92	2126.92	
23701	HRSE 100K LB 3 1/2-4 * 7.00 TP		FACTORY QUOTATION			
23751	HRSE 150K LB 4 1/4-4 * 8 1/2 TP		FACTORY QUOTATION			
23760	HRSE 200K LB 5-4*P TP		FACTORY QUOTATION			
23770	HRSE 250K LB 6-4*9 TP		FACTORY QUOTATION			

\* EXCEPTION TO STANDARD DISCOUNTS

EZ-TORQUE™ HOIST RINGS

Part No.	Hoist Ring Description	List Price
23290	HRSE EZ-TORQUE 30K LB 2-4 1/2 * 2.96 TP	667.63
23490	HRSE EZ-TORQUE 15K LB 1 1/4-7 * 1.89 TP	470.32
23494	HRSE EZ-TORQUE 24K LB 1 1/2-6 * 2.70 TP	594.20
23590*	HRSE EZ-TORQUE 50K LB 2 1/2-8 * 4.00 TP	1609.41
23592*	HRSE EZ-TORQUE 50K LB 2 1/2-4 * 4.00 TP	1609.41
23690*	HRSE EZ-TORQUE 75K LB 3-4 * 5.20 TP	2709.50
23790	HRSE EZ-TORQUE 100K LB 3 1/2-4 * 7 TP	FACTORY QUOTATION
23792	HRSE EZ-TORQUE 150K LB 4 1/4-4 * 8.50 TP	FACTORY QUOTATION
23794	HRSE EZ-TORQUE 200K LB 5-4 * 9 TP	FACTORY QUOTATION
23798	HRSE EZ-TORQUE 250K LB 6-4 * 9 TP	FACTORY QUOTATION

\* EXCEPTION TO STANDARD DISCOUNTS

SAFETY ENGINEERED HOIST RING REPLACEMENT SCREWS

Part No.	1 - UP	Part No.	1- UP
23021S	10.56	23073S	8.14
23022S	10.78	23121S	21.46
23023S	11.01	23122S	13.77
23024S	9.64	23123S	16.86
23025S	9.76	23125S	24.32
23026S	9.76	23126S	24.90
23027S	13.19	23127S	25.24
23029S	13.77	23222S	109.78
23041S	8.14	23225S	149.81
23071S	8.14	23318S	9.64
23072S	8.14	23421S	75.37

ADB/AMERICAN DRILL BUSHING  
1-800-423-4425

SAFETY ENGINEERED HOIST RINGS - METRIC

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
24008	400KG M08-1.25 X 17MM TP	75.14	67.63	65.37	63.87	Q. O. R.
24010	450KG M10-1.5 X 17MM TP	75.14	67.63	65.37	63.87	↓
24012	1050KG M12-1.75 X19MM TP	90.05	81.05	78.34	76.54	
24014	1050KG M12-1.75 X 19MM TP (Long Bar)	99.67	89.70	86.71	84.72	
24016	1900KG M16-2.0 X 24MM TP	90.05	81.05	78.34	76.54	
24018	1900KG M16-2.0 X 24MM TP (Long Bar)	99.67	89.70	86.71	84.72	
24020	2200KG M20-2.5 X 30MM TP	91.57	82.41	79.67	77.83	
24021	2200KG M20-2.5 X 30MM TP (Long Bar)	99.67	89.70	86.71	84.72	
24022	3000KG M20-2.5 X 29MM TP	196.73	177.06	171.16	167.22	
24023	3000KG M20-2.5 X 29MM TP (Long Bar)	208.82	187.94	181.67	177.50	
24024	4200KG M24-3.0 X 34MM TP	196.73	177.06	171.16	167.22	
24026	4200KG M24-3.0 X 34MM TP (Long Bar)	208.82	187.94	181.67	177.50	
24030	4500KG M30-3.5 X 54MM TP	197.36	177.62	171.70	167.76	
24032	4500KG M30-3.5 X 54MM TP (Long Bar)	208.82	187.94	181.67	177.50	
24040	7000KG M30-3.5 X 46MM TP	312.44	281.20	271.82	265.57	
24042	7000KG M30-3.5 X 66MM TP	312.44	281.20	271.82	265.57	
24050	11000KG M36-4.0 X69MM TP	408.31	367.48	355.23	347.06	
24052	12500KG M42-4.5 X79MM TP	480.95	432.86	418.43	408.81	
24054	3500KG M48-5.0 X79MM TP	480.95	432.86	418.43	408.81	
24060*	22000KG M64-6.0X102MM TP	1273.30	1273.30	1273.30	1273.30	
24062*	31500KG M 72-6.0X132MM TP	2126.92	2126.92	2126.92	2126.92	
24064	51000KG M90-6.0X178MM TP					FACTORY QUOTATION

\* EXCEPTION TO STANDARD DISCOUNTS

EZ-TORQUE™ HOIST RINGS - METRIC

Part No.	Hoist Ring Description	List Price
24290	HRSEM EZ-TORQUE 13500KG M48-5.0 X 79 TP	667.63
24490	HRSEM EZ-TORQUE 7000KG M30-3.5 X 66MM TP	470.32
24494	HRSEM EZ-TORQUE 11000KG M36-4.0 X 69 TP	594.20
24498	HRSEM EZ-TORQUE 12500KG M42-4.5 X 79 TP	667.63
24592*	HRSEM EZ-TORQUE 22000KG M64-6.0X102 TP	1609.41
24690*	HRSEM EZ-TORQUE 31500KG M72-6.0 X 132 TP	2709.50
24790	HRSEM EZ-TORQUE 51000KG M90-6.0 X 178 TP	FACTORY QUOTATION

\* EXCEPTION TO STANDARD DISCOUNTS

SAFETY ENGINEERED HOIST RING REPLACEMENT SCREWS - METRIC

Part No.	1 - UP	Part No.	1 - UP
24208S	9.64	24224S	24.24
24210S	9.64	24230S	52.94
24212S	11.45	24421S	86.20
24216S	17.37	24433S	86.20
24220S	21.34	24223S	109.78
24222S	23.76		

ADB/AMERICAN DRILL BUSHING

1-800-423-4425

SAFETY ENGINEERED HOIST RINGS - STAINLESS STEEL

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
29001	2K LB 5/8-11 X .78 TP	242.14	217.93	210.66	205.82	↑
29002	2K LB 5/8-11 X 1.03 TP	242.14	217.93	210.66	205.82	
29003	2K LB 5/8-11 X 1.28 TP	242.14	217.93	210.66	205.82	
29004	1.250K LB 1-2-13 X .78 TP	238.11	214.30	207.16	202.39	
29005	1.250K LB 1/2-13 X 1.03 TP	238.11	214.30	207.16	202.39	
29006	1.250K LB 1/2-13 X 1.28 TP	238.11	214.30	207.16	202.39	
29007	2.500K LB 3/4-10 X 1.03 TP	242.14	217.93	210.66	205.82	
29009	2.500K LB 3/4-10 X 1.53 TP	242.14	217.93	210.66	205.82	
29050	0.275K LB 1/4-20 X .54 TP	196.79	177.11	171.21	167.27	
29051	0.400K LB 5/16-18 X .29 TP	196.79	177.11	171.21	167.27	
29052	0.400K LBS 5/16-18 X .54TP	196.79	177.11	171.21	167.27	Q
29053	0.500K LB 3/8-16 X .54 TP	196.79	177.11	171.21	167.27	U
29101	4K LB 7/8-9 X 1.04 TP	381.99	343.79	332.33	324.69	O
29102	3.500K LB 3/4-10 X 1.04 TP	381.99	343.79	332.33	324.69	T
29103	3.500K LB 3/4-10 X 1.54 TP	381.99	343.79	332.33	324.69	E
29105	5K LB 1-8 X 1.29 TP	394.72	355.25	343.41	335.51	O N  R E Q U E S T
29106	5K LB 1-8 X 1.54 TP	394.72	355.25	343.41	335.51	
29107	5K LB 1-8 X 2.29 TP	394.72	355.25	343.41	335.51	
29200	15K LB 2-4 1/2 X 2.96 TP	1137.66	1023.89	989.76	967.01	
29202	12K LB 1 1/2-6 X 2.70 TP	1069.40	962.46	930.38	908.99	
29301	1.250K LB 1/2-13 X 1.07 TP	239.34	215.41	208.23	203.44	
29320	2K LB 5/8-11 X 1.03 TP (Long Bar)	282.59	254.33	245.85	240.20	
29321	2K LB 5/8-11 X 1.28 TP (Long Bar)	282.59	254.33	245.85	240.20	
29322	1.250K LB 1/2-13 X .78 TP (Long Bar)	282.59	254.33	245.85	240.20	
29323	1.250K LB 1/2-13X1.03 TP(Long Bar)	282.59	254.33	245.85	240.20	
29324	1.250K LB 1/2-13 X 1.28 TP (Long Bar)	282.59	254.33	245.85	240.20	
29325	2.500K LB 3/4-10 X 1.03 TP (Long Bar)	282.59	254.33	245.85	240.20	
29327	2.500K LB 3/4-10 X 1.53 TP (Long Bar)	282.59	254.33	245.85	240.20	
29328	4K LB 7/8-9 X 1.04 TP (Long Bar)	486.38	437.74	423.15	413.42	
29329	3.500K LB 3/4-10 X 1.04 TP (Long Bar)	486.38	437.74	423.15	413.42	
29330	3.500K LB 3/4-10 X 1.54 TP (Long Bar)	486.38	437.74	423.15	413.42	
29331	5K LB 1-8 X 1.29 TP (Long Bar)	486.38	437.74	423.15	413.42	
29332	5K LB 1-8 X 1.54 TP (Long Bar)	486.38	437.74	423.15	413.42	
29333	5K LB 1-8 X 2.29 TP (Long Bar)	486.38	437.74	423.15	413.42	
29401	7.500K LB 1 1/4-7 X 1.89 TP	743.91	669.52	647.20	632.32	
29501*	25K LB 2 1/2-8 X 4 TP	3183.26	3183.26	3183.26	3183.26	
29503*	25K LB 2 1/2-4 X 4 TP	3183.26	3183.26	3183.26	3183.26	
29600	37.500K LB 3-4 X 5.20 TP		Factory Quotation			
29701	50K LB 3 1/2-4 X 7 TP		Factory Quotation			

\* EXCEPTION TO STANDARD DISCOUNTS

ADB/AMERICAN DRILL BUSHING  
1-800-423-4425

SAFETY ENGINEERED HOIST RINGS - METRIC - STAINLESS STEEL

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
<b>29808</b>	200 KG M8-1.25 X 17 MM TP	196.79	177.11	171.21	167.27	Q. O. R.
<b>29810</b>	225 KG M10-1.50 X 17 MM TP	196.79	177.11	171.21	167.27	↓
<b>29812</b>	525 KG M12-1.75 X 19 MM TP	238.11	214.30	207.16	202.39	
<b>29816</b>	950 KG M16-2.0 X 24 MM TP	238.11	214.30	207.16	202.39	
<b>29818</b>	950 KG M16-2.0 X 24MM TP (Long Bar)	282.59	254.33	245.85	240.20	
<b>29820</b>	1100 KG M20-2.5 X 30 MM TP	242.14	217.93	210.66	205.82	
<b>29822</b>	1500 KG M20-2.5 X 29 MM TP	381.99	343.79	332.33	324.69	
<b>29824</b>	2100 KG M24 X 3.0 * 34 MM TP	381.99	343.79	332.33	324.69	
<b>29830</b>	2250 KG M30-3.5 X 54 MM TP	394.72	355.25	343.41	335.51	
<b>29840</b>	3500 KG M30-3.5 X 46 MM TP	743.91	669.52	647.20	632.32	
<b>29842</b>	3500 KG M30-3.5 X 66 MM TP	743.91	669.52	647.20	632.32	
<b>29850</b>	5500 KG M36-4.0 X 69 MM TP	1069.40	962.46	930.38	908.99	
<b>29852</b>	6250 KG M42-4.5 X 79 MM TP	1137.66	1023.89	989.76	967.01	
<b>29854</b>	7250 KG M48-5.0 X 79 MM TP	1137.66	1023.89	989.76	967.01	
<b>29860*</b>	11000 KG M64-6.0 X 102 MM TP	3183.26	3183.26	3183.26	3183.26	

\* EXCEPTION TO STANDARD DISCOUNTS

SIDE-PULL HOIST RINGS

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
<b>36110</b>	HRSP 650 LBS 5/16-18 X .63 TP	84.17	80.80	77.44	74.07	Q. O. R.
<b>36115</b>	HRSP 800 LBS 3/8-16 X .75 TP	84.17	80.80	77.44	74.07	↓
<b>36120</b>	HRSP 1800 LBS 1/2-13 X 1.00 TP	104.23	100.06	95.89	91.72	
<b>36125</b>	HRSP 2500 LBS 5/8-11 X 1.25 TP	104.23	100.06	95.89	91.72	
<b>36130</b>	HRSP 4100 LBS 3/4-10 X 1.50 TP	233.01	223.69	214.37	205.05	
<b>36135</b>	HRSP 7100 LBS 1 - 8 X 1.75 TP	233.01	223.69	214.37	205.05	
<b>36140</b>	HRSP 14000 LBS 1 1/4-7 X 2.00 TP	508.39	488.05	467.72	447.38	
<b>36143</b>	HRSP 14000 LBS 1 1/4-8 X 2.00 TP	508.39	488.05	467.72	447.38	
<b>36145</b>	HRSP 17200 LBS 1 1/2-6 X 2.50 TP	508.39	488.05	467.72	447.38	
<b>36148</b>	HRSP 17200 LBS 1 1/2-8 X 2.50 TP	508.39	488.05	467.72	447.38	
<b>36150</b>	HRSP 29000 LBS 2 - 4 1/2 X 3.13 TP	764.19	733.62	703.05	672.49	
<b>36155</b>	HRSP 29000 LBS 2-8 X 3.13 TP	764.19	733.62	703.05	672.49	

SIDE-PULL HOIST RINGS - METRIC

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
<b>36710</b>	400 KG M8 X 1.25 X 16 MM TP	84.17	80.80	77.44	74.07	Q. O. R.
<b>36715</b>	650 KG M10 X 1.5 X 20 MM TP	84.17	80.80	77.44	74.07	↓
<b>36720</b>	900 KG M12 X 1.75 X 24 MM TP	104.23	100.06	95.89	91.72	
<b>36725</b>	1600 KG M16 X 2.0 X 32 MM TP	104.23	100.06	95.89	91.72	
<b>36730</b>	2500 KG M20 X 2.5 X 40 MM TP	233.01	223.69	214.37	205.05	
<b>36735</b>	3500 KG M24 X 3.0 X 48 MM TP	233.01	223.69	214.37	205.05	
<b>36740</b>	5500 KG M30 X 3.5 X 60 MM TP	508.39	488.05	467.72	447.38	
<b>36745</b>	8000 KG M36 X 4.0 X 72 MM TP	508.39	488.05	467.72	447.38	

ADB/AMERICAN DRILL BUSHING

1-800-423-4425

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
36748	11000 KG M42 X 4.5 X 84 MM TP	508.39	488.05	467.72	447.38	↓
36750	14000 KG M48 X 5.0 X 96 MM TP	764.19	733.62	703.05	672.49	
36755	25000 KG M64 X 6.0 X 128 MM TP	764.19	733.62	703.05	672.49	

LOW PROFILE SIDE-PULL HOIST RINGS

Part No.	Hoist Ring Description	List Price
84022	HRMLPSP M20-2.5 3000KG (Metric)	187.48
83202	HRLPSP 2-4 1/2 24K	458.30
83200	HRLPSP 2-4 1/2 30K	458.30

SHACKLE HOIST RINGS

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
36510	SHACKLE HR ASSY (2000 LB)	103.00	99.91	96.82	92.70	Q. O. R.
36520	SHACKLE HR ASSY (3000 LB)	116.80	113.30	109.79	105.12	↓
36530	SHACKLE HR ASSY (4000 LB)	134.39	130.36	126.33	120.95	
36540	SHACKLE HR ASSY (6500 LB)	154.40	149.77	145.14	138.96	
36550	SHACKLE HR ASSY (13000 LB)	203.98	197.86	191.74	183.58	
36560	SHACKLE HR ASSY (19000 LB)	272.55	264.37	256.20	245.30	
36570	SHACKLE HR ASSY (24000 LB)	334.99	324.94	314.89	301.49	

UNIVERSAL LIFT RINGS

Part No.	Description	1 - UP
34005	.4-1.4K UNIV. LIFT RING (SMALL)	36.77
34010	2.6-6K UNIV LIFT RING (LARGE)	49.05

FLIP-FLOP HOIST RINGS

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
34030	HRRF 2K-LB HOIST RING	14.55	13.10	12.66	12.37	Q. O. R.
34035	HRRF 2.5K-LB HOIST RING	15.35	13.82	13.35	13.05	↓
34040	HRRF 5K-LB HOIST RING	21.94	19.75	19.09	18.65	
34045	HRRF 12K-LB HOIST RING	47.88	43.09	41.66	40.70	
34050	HRRF 20K-LB HOIST RING	69.69	62.72	60.63	59.24	

SCREWS FOR FLIP-FLOP HOIST RINGS

Part No.	Net
23812	0.57
23813	0.86
23804	1.72
23805	2.07
33645	3.38

ADB/AMERICAN DRILL BUSHING  
1-800-423-4425

FLIP-FLOP HOIST RINGS WITH SCREWS

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - 191	192-UP
<b>34030S</b>	2K-LB (SHIP W/(2) MTG SCREWS	15.69	14.12	13.65	13.34	Q. O. R. ↓
<b>34035S</b>	2.5K-LB (SHIP W/(2)MTG SCREWS	17.07	15.36	14.85	14.51	
<b>34040S</b>	5K-LB (SHIP W/(2)MTG SCREWS	25.38	22.84	22.08	21.57	
<b>34045S</b>	12K-LB (SHIP W/(4) MTG SCREWS	56.16	50.54	48.86	47.74	
<b>34050S</b>	20K-LB (SHIP W/(4) MTG SCREWS	83.21	74.89	72.39	70.73	

SUPER-COIL™ HOIST RINGS

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - UP
<b>33716CT</b>	HRSC 5K 3/4	77.59	69.83	67.50	65.95
<b>33107CT</b>	HRSC 10K 1	160.83	144.75	139.92	136.71
<b>33401CT</b>	HRSC 15K 1 1/4	228.31	205.48	198.63	194.06
<b>33424CT</b>	HRSC 24K 1 1/2	266.53	239.88	231.88	226.55

Heavy Duty® PIVOT LIFT PLATE

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - UP
<b>36620</b>	PIVOT LIFT PLATE-7K 3/4	105.11	94.60	91.45	89.34
<b>36625</b>	PIVOT LIFT PLATE-10K 1	105.11	94.60	91.45	89.34
<b>36630</b>	PIVOT LIFT PLATE-15K 1 1/4	140.10	126.09	121.89	119.09
<b>36635</b>	PIVOT LIFT PLATE-24K 1 1/2	140.10	126.09	121.89	119.09

Heavy Duty® SWIVEL/PIVOT LIFT PLATE

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - UP
<b>36600</b>	HRSPPL 7K 3/4	149.61	142.13	134.65	127.17
<b>36605</b>	HRSPPL 10K 1	149.61	142.13	134.65	127.17
<b>36610</b>	HRSPPL 15K-1 1/4	222.68	211.55	200.41	189.28
<b>36615</b>	HRSPPL 24K 1 1/2	222.68	211.55	200.41	189.28

SAFETY ENGINEERED SWIVEL/PIVOT LIFT PLATE

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - UP
<b>36785</b>	HRSESPLP 10K 3/4	176.81	167.97	159.13	150.29
<b>36790</b>	HRSESPLP 15K 1	263.15	250.00	236.84	223.69
<b>36795</b>	HRSESPLP 15K 1 1/4	263.15	250.00	236.84	223.69

Heavy Duty® WELD-MOUNT HOIST RINGS

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - UP
<b>36640</b>	HRHD WELD-MOUNT-5K 5/8-11	106.30	95.67	92.48	90.36
<b>36645</b>	HRHD WELD-MOUNT-10K 1-8	155.76	140.18	135.51	132.40
<b>36650</b>	HRHD WELD-MOUNT-24K	199.08	179.17	173.20	169.22

ADB/AMERICAN DRILL BUSHING  
**1-800-423-4425**

[Heavy Duty® ROAD PLATE HOIST RINGS](#)

Part No.	Hoist Ring Description	1 - 23	24 - 47	48 - 95	96 - UP
36660	ROAD PLATE-10K 1 1/4-7 X 1 TP	145.82	131.24	126.86	123.95
36665	ROAD PLATE-10K 1 1/2-6 X 1 1/2 TP	159.71	143.74	138.95	135.75
36670	ROAD PLATE-15K 1 1/4-7 X 1 TP	220.85	198.77	192.14	187.72
36675	ROAD PLATE-15K 1 1/2-6 X 1 1/2 TP	256.27	230.64	222.95	217.83

[BOLT TYPE ANCHOR SHACKLES](#)

Part No.	Rated Load (lbs)	Size	1 - UP
36511	2000	3/8"	7.97
36521	3000	7/16"	10.63
36531	4000	1/2"	12.40
36541	6500	5/8"	13.52
36551	13000	7/8"	27.45
36561	19000	1-1/8"	49.46
36571	24000	1-1/4"	61.67

[WELDLESS ALLOY RINGS](#)

Part No.	Rated Load (lbs)	Size	1 - UP
36111	3800	3/8"	10.57
36121	6100	5/8"	16.17
36131	18400	1"	28.78
36141	30000	1-3/8"	39.78
36151	49000	1-1/2"	84.26

[Bar-Tite® Hoist Rings](#)

Part No.	Rated Load (lbs)	Thread	List Price*
34930	10000	1 1/4 UNC	212.47
34935*	10000	1 1/4 UNC	216.02
34940	10000	1 1/4 COIL	212.47
34945*	10000	1 1/4 COIL	216.02
34950	10000	1 1/4 ACME	212.47
34955*	10000	1 1/4 ACME	216.02
34960	10000	1 1/2 UNC	212.47
34965*	10000	1 1/2 UNC	216.02
34970	10000	1 1/2 COIL	212.47
34975*	10000	1 1/2 COIL	216.02
34980	10000	1 1/2 ACME	212.47
34985*	10000	1 1/2 ACME	216.02

\* Long Bar

ADB/AMERICAN DRILL BUSHING  
1-800-423-4425

[Bar-Tite® Hoist Rings REPLACEMENT STUDS](#)

<u>Part No.</u>	<u>Thread</u>	<u>List Price*</u>
33950	1 1/4 COIL	35.24
33955	1 1/4 UNC	35.24
33960	1 1/4 ACME	35.24
33965	1 1/2 COIL	40.37
33970	1 1/2 UNC	40.37
33975	1 1/2 ACME	40.37

[Bar-Tite® NUTS](#)

<u>Part No.</u>	<u>List Price*</u>
33633	10.83

[FAST-LOK™ LIFTING SYSTEM](#)

<u>Part No.</u>		<u>List Price*</u>
36905	FAST-LOK TOOL	145.00
36551	SHACKLE	27.45
36900	PLATE	28.33
36903	PIN	35.41
36906	FAST-LOK™ SYSTEM (Includes Tool, Shackle, Plate, Pin)	207.86

[SCISSOR-LOK™ SYSTEM](#)

<u>Part No.</u>		<u>List Price</u>
36860	SCISSOR-LOK TOOL	159.00
36551	SHACKLE	27.45
36900	PLATE	28.33
36903	PIN	35.41
36865	SCISSOR-LOK™ SYSTEM (Includes Tool, Shackle, Plate, Pin)	221.86

\* Quantities of 25 or more, contact factory for quotation.

CHAIN SLING LIFTING SYSTEMS

<u>Part No.</u>		<u>List Price</u>
36680	CHAIN SLING, SHACKLE	105.91
36685	CHAIN SLING, SHACKLE, PIN	118.04
36690	FAST-LOK™, CHAIN SLING, SHACKLE, PIN	273.53
36870	SCISSOR-LOK™, CHAIN SLING, SHACKLE, PIN	287.53

[Lug Lok® Hoist Rings](#)

<u>Part No.</u>	<u>Rated Load (lbs)</u>	<u>Thread</u>	<u>List Price*</u>
36920	10000	1 1/4 UNC	265.60
36925	10000	1 1/2 UNC	265.60
36930	10000	1 1/4 COIL	265.60
36935	10000	1 1/2 COIL	265.60
36940	10000	1 1/4 ACME	265.60
36945	10000	1 1/2 ACME	265.60

ADB/AMERICAN DRILL BUSHING  
1-800-423-4425

[Lug Lok® Hoist Rings REPLACEMENT SCREWS](#)

<u>Part No.</u>	<u>Thread</u>	<u>List Price*</u>
36922	1 1/4 UNC	35.24
36927	1 1/2 UNC	40.37
36932	1 1/4 COIL	35.24
36937	1 1/2 COIL	40.37
36942	1 1/4 ACME	35.24
36947	1 1/2 ACME	40.37

[Heavy Duty® SAFETY LIFT EYE](#)

<u>Part No.</u>	<u>Rated Load (lbs)</u>	<u>Thread</u>	<u>List Price</u>
36480	10000	1 UNC	117.45
36481	10000	1 COIL	117.45
36482	10000	1 1/4 UNC	117.45
36483	10000	1 1/4 COIL	117.45
36484	15000	1 1/4 UNC	129.84
36485	15000	1 1/4 COIL	129.84
36486	15000	1 1/2 UNC	129.84
36487	15000	1 1/2 COIL	129.84

[SPIN-N-LOK™ HOIST RINGS](#)

<u>Part No.</u>	<u>Rated Load (lbs)</u>	<u>Thread</u>	<u>List Price</u>
36950	10000	1 1/4 UNC	245.00
36955	10000	1 1/2 UNC	255.00
36960	10000	1 1/4 COIL	245.00
36965	10000	1 1/2 COIL	255.00

SPIN-N-LOK™ XT HOIST RINGS

<u>Part No.</u>	<u>Rated Load (lbs)</u>	<u>Length</u>	<u>Thread</u>	<u>List Price</u>
76915	10000	12"	1 COIL	303.09
76920	10000	15"	1 COIL	312.65

[WELD-IN THREADED INSERTS](#)

<u>Part No.</u>	<u>Thread</u>	<u>List Price*</u>
36980	3/4 UNC	32.46
36982	1 UNC	32.46
36984	1 1/4 UNC	32.46
36986	1 1/4 COIL	32.46
36988	1 1/4 ACME	32.46
36990	1 1/2 UNC	34.24
36992	1 1/2 COIL	34.24
36994	1 1/2 ACME	34.24
36996	2 UNC	34.24

\* Quantities of 25 or more, contact factory for quotation.

TOWER LIFTING TOOL SETS

**Part No.**

**83503** WIND-TOWER LIFTING TOOL SET  
(4 Top Mount Tools / 2 Bottom MountTools)

**List Price**

**Q. O. R.**